

Refine Search

M. Z

Search Results -

Term	Documents
CLUSTER	72314
CLUSTRES	4
CLUSTRE	1
CLUSTERS	46360
OFDMA	112
OFDMAS	0
(7 SAME (OFDMA OR 12 OR CLUSTER)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	61
(L7 SAME (L12 OR CLUSTER OR OFDMA)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	61

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Sunday, March 21, 2004 [Printable Copy](#) [Create Case](#)

Set
Name
 side by
 side

Query

Hit
Count

Set
Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L14 17 same (L12 or cluster or ofdma)

61 L14

L13 17 same L12

1 L13

L12 subcarrier

15693 L12

<u>L11</u>	ofdma and l6	10	<u>L11</u>
<u>L10</u>	ofdma and l7	3	<u>L10</u>
<u>L9</u>	ofdma and L8	3	<u>L9</u>
<u>L8</u>	l6 and L7	41	<u>L8</u>
<u>L7</u>	(balanc\$ or avoid\$ or reduc\$ or reliev\$) near8 (traffic near7 (load or cong\$))	3627	<u>L7</u>
<u>L6</u>	measur\$ near7 interference	20149	<u>L6</u>
<u>L5</u>	ofdma same cluster	7	<u>L5</u>
<u>L4</u>	ofdma same (measur\$ near9 snr)	0	<u>L4</u>
<u>L3</u>	l1 and L2	2	<u>L3</u>
<u>L2</u>	ofdma same (carrier near5 allocat\$)	5	<u>L2</u>
<u>L1</u>	ofdma same (carrier near5 select\$)	6	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
OFDMA	112
OFDMAS	0
(OFDMA SAME 18).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	3
(OFDMA SAME L18).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, March 22, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L19</u>	ofdma same L18	3	<u>L19</u>
<u>L18</u>	(channel near5 allocat\$) same (adaptiv\$ or dynamic\$)	2715	<u>L18</u>
<u>L17</u>	cell near9 (plurality near5 subcarrier)	4	<u>L17</u>
<u>L16</u>	l13 and L15	58	<u>L16</u>
<u>L15</u>	l9 and L14	7906	<u>L15</u>
<u>L14</u>	(subcarrier or ofdma or cluster)	110763	<u>L14</u>
<u>L13</u>	L12 and l11	433	<u>L13</u>
<u>L12</u>	l10 same (balanc\$ or reduc\$ or reliev\$ or avoid\$ or easing)	9611	<u>L12</u>
<u>L11</u>	snr or (signal near3 noise)	192791	<u>L11</u>

<u>L10</u>	traffic same (load or overload or (over adj load) or cong\$)	26198	<u>L10</u>
<u>L9</u>	375/\$ or 370/\$ or 455/\$	245188	<u>L9</u>
<u>L8</u>	l6 same L7	2	<u>L8</u>
<u>L7</u>	load near4 balanc\$	31669	<u>L7</u>
<u>L6</u>	measur\$ near7 (signal near5 noise)	14525	<u>L6</u>
<u>L5</u>	L4 same (ofdma or subcarrier or cluster)	3	<u>L5</u>
<u>L4</u>	L3 near8 (closed near3 loop)	2093	<u>L4</u>
<u>L3</u>	power near3 control\$	326742	<u>L3</u>
<u>L2</u>	ofdma and cluster	14	<u>L2</u>
<u>L1</u>	cluster same ofdma	7	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
SUBCARRIER	14964
SUBCARRIERS	2880
CLUSTER\$	0
CLUSTER	71580
CLUSTERA	4
CLUSTERABIHTY	1
CLUSTERABIL	1
CLUSTERABILITY	7
CLUSTERABIL-ITY	1
CLUSTERABLE	25
CLUSTERABLY	1
(SUBCARRIER SAME CLUSTER\$).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	49

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L6

Refine Search

Recall Text 

Clear

Interrupt

Search History

DATE: Monday, March 22, 2004 [Printable Copy](#) [Create Case](#)

Set Name **Query**
side by side

Hit Count **Set Name**
result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L6</u>	subcarrier same cluster\$	49	<u>L6</u>
<u>L5</u>	L4 and (fdma or ofdma)	22	<u>L5</u>
<u>L4</u>	L2 and allocat\$	397	<u>L4</u>
<u>L3</u>	L2 and allocation	206	<u>L3</u>
<u>L2</u>	select\$ same subcarrier	3430	<u>L2</u>
<u>L1</u>	fdma same (carrier near5 selection)	7	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
CLUSTER\$	0
CLUSTER	72314
CLUSTERA	5
CLUSTERABIHTY	1
CLUSTERABIL	1
CLUSTERABILITY	7
CLUSTERABIL-ITY	1
CLUSTERABLE	25
CLUSTERABLY	1
CLUSTERABOUT	2
CLUSTERAGENT	1
(L9 AND CLUSTER\$).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	26

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L10

Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Monday, March 22, 2004 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L10</u>	L9 and cluster\$	26	<u>L10</u>
<u>L9</u>	L7 and (allocat\$ same subcarrier)	159	<u>L9</u>
<u>L8</u>	L7 and (allocat\$ same subcarier)	0	<u>L8</u>
<u>L7</u>	select\$ same subcarrier	3430	<u>L7</u>
<u>L6</u>	subcarrier same cluster\$	49	<u>L6</u>
<u>L5</u>	L4 and (fdma or ofdma)	22	<u>L5</u>
<u>L4</u>	L2 and allocat\$	397	<u>L4</u>
<u>L3</u>	L2 and allocation	206	<u>L3</u>
<u>L2</u>	select\$ same subcarrier	3430	<u>L2</u>
<u>L1</u>	fdma same (carrier near5 selection)	7	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	122 same L24
--------------	--------------

Display:	<input type="text" value="30"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
-----------------	---

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Tuesday, March 23, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L25</u>	122 same L24	42	<u>L25</u>
<u>L24</u>	service near7 (option or negotiation)	7934	<u>L24</u>
<u>L23</u>	(service near7 (preferred or select\$ or desired or available)) same L22	3	<u>L23</u>
<u>L22</u>	120 same L21	1189	<u>L22</u>
<u>L21</u>	119 same 112	23531	<u>L21</u>
<u>L20</u>	compatib\$ near5 (service or protocol or network or standard)	28395	<u>L20</u>
<u>L19</u>	113 or 117 or L18	51863	<u>L19</u>
<u>L18</u>	mobile adj station	36577	<u>L18</u>
<u>L17</u>	subscriber adj station	9011	<u>L17</u>
<u>L16</u>	subscriber adjs station	0	<u>L16</u>
<u>L15</u>	mobile adjs station	0	<u>L15</u>
<u>L14</u>	mobile adjs tation	0	<u>L14</u>
<u>L13</u>	radiotelephone	8424	<u>L13</u>
<u>L12</u>	base adj station	88133	<u>L12</u>
<u>L11</u>	preferred same (service near4 option)	0	<u>L11</u>
<u>L10</u>	preferred near7 (service near4 option)	0	<u>L10</u>

<u>L9</u>	stor\$ same (prefered near7 service)	2	<u>L9</u>
<u>L8</u>	stor\$ near10 (prefered near7 service)	0	<u>L8</u>
<u>L7</u>	l5 and L6	3	<u>L7</u>
<u>L6</u>	(base adj station) same (service near7 compatibility)	33	<u>L6</u>
<u>L5</u>	subscriber same (service near7 compatibility)	69	<u>L5</u>
<u>L4</u>	preffered same L1	0	<u>L4</u>
<u>L3</u>	prefered same L1	2	<u>L3</u>
<u>L2</u>	preferred same L1	0	<u>L2</u>
<u>L1</u>	service near7 subscri\$	35404	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
DE19800953	1
DE19800953S	0
DE19800953.PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1
(DE19800953).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, March 24, 2004 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L7</u>	de19800953	1	<u>L7</u>
<u>L6</u>	L5 and (allocat\$ or select\$)	70	<u>L6</u>
<u>L5</u>	l3 same L4	85	<u>L5</u>
<u>L4</u>	(ofdma or subcarrier or cluster)	110857	<u>L4</u>
<u>L3</u>	feedback near7 information	16758	<u>L3</u>
<u>L2</u>	fdma same (subcarrier near7 select\$)	3	<u>L2</u>
<u>L1</u>	ofdma and cluster	14	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
OFDMA	112
OFDMAS	0
(OFDMA AND 9).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2
(L9 AND OFDMA).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, March 24, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L11</u>	l9 and ofdma	2	<u>L11</u>
<u>L10</u>	l4 same L8	38	<u>L10</u>
<u>L9</u>	l4 and L8	224	<u>L9</u>
<u>L8</u>	(assign\$ or allocat\$) same ((first near4 portion) same (second near4 portion))	8546	<u>L8</u>
<u>L7</u>	de19800953	1	<u>L7</u>
<u>L6</u>	L5 and (allocat\$ or select\$)	70	<u>L6</u>
<u>L5</u>	l3 same L4	85	<u>L5</u>
<u>L4</u>	(ofdma or subcarrier or cluster)	110857	<u>L4</u>

Refine Search

Search Results -

Term	Documents
SUBCARRIER	14974
SUBCARRIERS	2885
OFDMA	112
OFDMAS	0
OFDM	5746
OFDMS	4
(5 AND (OFDMA OR OFDM OR SUBCARRIER)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2
(L5 AND (SUBCARRIER OR OFDMA OR OFDM)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L6

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, March 25, 2004 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L6</u>	L5 and (subcarrier or ofdma or ofdm)	2	<u>L6</u>
<u>L5</u>	L4 and (interference same load)	8	<u>L5</u>
<u>L4</u>	L3 and (cluster\$ same carrier)	140	<u>L4</u>
<u>L3</u>	plurality near5 cell	88342	<u>L3</u>
<u>L2</u>	L1 same (subcarrier or ofdma or cluster\$)	43	<u>L2</u>

L1 bandwidth near7 (adaptiv\$ or dynamic\$)

6107 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
PLURALITY	3328392
PLURALITIES	21638
PLURALITYS	5
BEAM	1097665
BEAMS	395114
BASE	3461484
BASIS	1022120
BASES	366629
STATION	672375
STATIONS	283985
(1 AND ((BASE ADJ STATION) NEAR9 (BEAM NEAR3 PLURALITY))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	8
(L1 AND ((PLURALITY NEAR3 BEAM) NEAR9 (BASE ADJ STATION))) .PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	8

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, March 26, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query
 side by side

Hit Count Set Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L2</u>	L1 and ((plurality near3 beam) near9 (base adj station))	8	<u>L2</u>
<u>L1</u>	beam near3 search\$	1702	<u>L1</u>

END OF SEARCH HISTORY